Author Index

Acerbi, D., see Rondelli, I. 612(1993)95
Aden Abdi, Y., Villén, T., Gustafsson, L. L., Ericsson, Ö. and Sjöqvist, F.
Methodological commentary on the analysis of metrifonate and dichlorvos in biological samples 612(1993)336
Altieri, I., see Pacifici, R. 612(1993)209
Altmayer, P., Büch, U., Büch, H. P. and Larsen, R.
Rapid and sensitive pre-column extraction high-performance liquid chromatographic assay for propofol in biological fluids 612(1993)326
Alvinerie, M., Sutra, J. F., Eeckhoutte, C., Galtier, P., Van 't Klooster, G. A. E. and Van Miert, A. S. J. P. A. M.
Determination of aditoprim and its oxidative metabolites in plasma and microsomal incubation mixtures by high-performance liquid chromatography 612(1993)115
Amari, G., see Rondelli, I. 612(1993)95
Aoki, I., see Okuda, T. 612(1993)263
Arita, T., see Nishikata, M. 612(1993)239
Bacosi, A., see Pacifici, R. 612(1993)209
Baltassat, P., see Guichard, J. 612(1993)269
Beach, A. C., see Spencer, G. G. 612(1993)295
Bihoreau, N., Layet, S., Fontaine-Aupart, M. P. and Paolantonacci, P.
Application of a new statistical approach to optimize the immunopurification of antihemophilia A factor 612(1993)49
Blaschke, G., see Elsing, B. 612(1993)223
Brøsen, K., see Kramer Nielsen, K. 612(1993)87
Bruckner, J. V., see Chen, X. M. 612(1993)199
Bruynseels, V., see Vandenbosch, C. 612(1993)77
Büch, H. P., see Altmayer, P. 612(1993)326
Büch, U., see Altmayer, P. 612(1993)326
Buijs, M. J. H., see Plomp, T. A. 612(1993)123
Burke, J. F., see Tredget, E. E. 612(1993)7
Cajigas, A., see Steinberg, J. J. 612(1993)277
Campíns-Falcó, P., Herráez-Hernández, R. and Sevillano-Cabeza, A.
Improved detection limits for screening of diuretics by coupled liquid chromatography and ultraviolet–visible spectrophotometry 612(1993)245
Caronna, A., see Pacifici, R. 612(1993)209
Cassels, B. K., see Speisky, H. 612(1993)315
Chambers, M., see Tredget, E. E. 612(1993)7
Chan, D. C. N., see Lam, Y. W. F. 612(1993)166
Charles, B. G., see Sidhu, J. S. 612(1993)161
Chee, G. L. and Wan, T. S. M.
Reproducible and high-speed separation of basic drugs by capillary zone electrophoresis 612(1993)172
Chen, X. M., Dallas, C. E., Muralidhara, S., Srivatsan, V. and Bruckner, J. V.
Analyses of volatile C_2 haloethanes and haloethenes in tissues: sample preparation and extraction 612(1993)199
Chirrey, L., see Cummings, J. 612(1993)105
Coene, J., Van den Eeckhout, E., Herdewijn, P. and Sandra, P.
Gas chromatographic determination of alkyl lysophospholipids after solid-phase extraction from cell culture media 612(1993)21
Cornpropst, J. D., see Hamilton, C. L. 612(1993)253
Cramer, H., see Rissler, K. 612(1993)150
Crowley, C., see James, I. 612(1993)41
Cummings, J., Chirrey, L., Willmott, N., Halbert, G. W. and Smyth, J. F.
Determination of mitomycin C, 2,7-diaminomitosene, 1,2-*cis*- and 1,2-*trans*-1-hydroxy-2,7-diaminomitosene in tumour tissue by high-performance liquid chromatography 612(1993)105
Dallas, C. E., see Chen, X. M. 612(1993)199
De Smet, M., see Vandenbosch, C. 612(1993)77
De V. Albrecht, C. F., see Kruger, P. B. 612(1993)191
Deyl, Z., see Mikšík, I. 612(1993)57
Dubost, J., see Guichard, J. 612(1993)269
Eeckhoutte, C., see Alvinerie, M. 612(1993)115
Eller, T. D., Walle, U. K. and Walle, T.
Immunoaffinity isolation of the sulfate conjugate of 4'-hydroxypropranolol from plasma 612(1993)320
Elsing, B. and Blaschke, G.
Achiral and chiral high-performance liquid chromatographic determination of tramadol and its major metabolites in urine after oral administration of racemic tramadol 612(1993)223
Ericsson, Ö., see Aden Abdi, Y. 612(1993)336
Eriksson, B.-M.
Determination of catecholamines in rat heart tissue and plasma samples by liquid chromatography with electrochemical detection, by B.-M. Eriksson and B.-A. Persson, *J. Chromatogr.*, 228 (1982) 143 612(1993)1
Fiset, C., Philippon, F., Gilbert, M. and Turgeon, J.
Stereoselective high-performance liquid chromatographic assay for the determination of sotalol enantiomers in biological fluids 612(1993)231
Fontaine-Aupart, M. P., see Bihoreau, N. 612(1993)49
Fornstedt, T.
Peak distortion effects of suramin due to large system peaks in bioanalysis using ion-pair adsorption chromatography 612(1993)137
Forsyth, N., see Tredget, E. E. 612(1993)7
Fushida, H., see Nishikata, M. 612(1993)239
Galtier, P., see Alvinerie, M. 612(1993)115
Ghahary, A., see Tredget, E. E. 612(1993)7
Gilbert, M., see Fiset, C. 612(1993)231
Grimaldi, F., see Rop, P. P. 612(1993)302
Guichard, J., Panteix, G., Dubost, J., Baltassat, P. and Roche, C.
Simultaneous high-performance liquid chromatographic assay of droperidol and flunitrazepam in human plasma. Application to haemodilution blood samples collected during clinical anaesthesia 612(1993)269
Guo, J., see Zhang, C.-X. 612(1993)287
Gupta, R. C., see Spencer, G. G. 612(1993)295
Gustafsson, L. L., see Aden Abdi, Y. 612(1993)336
Halbert, G. W., see Cummings, J. 612(1993)105

Hamilton, C. L. and Cornpropst, J. D.
Determination of dapoxetine, an investigational agent with the potential for treating depression, and its mono- and di-desmethyl metabolites in human plasma using column-switching high-performance liquid chromatography 612(1993)253
Hayakawa, K., see Oizumi, J. 612(1993)156
Herdewijn, P., see Coene, J. 612(1993)21
Herráez-Hernández, R., see Campíns-Falcó, P. 612(1993)245
Herring, V. L. and Johnson, J. A.
Direct high-performance liquid chromatographic determination in urine of the enantiomers of propranolol and its major basic metabolite 4-hydroxypropranolol 612(1993)215
Hodný, Z., see Mikšík, I. 612(1993)57
Hogg, A. M., see Tredget, E. E. 612(1993)7
Iseki, K., see Nishikata, M. 612(1993)239
James, I., Crowley, C. and Perrett, D.
Assay of pyridinium crosslinks in serum using narrow-bore ion-paired reversed-phase high-performance liquid chromatography 612(1993)41
Johnson, J. A., see Herring, V. L. 612(1993)215
Kai, M., see Kojima, E. 612(1993)187
Katayama, M., Masuda, Y. and Taniguchi, H.
Determination of corticosteroids in plasma by high-performance liquid chromatography after pre-column derivatization with 2-(4-carboxyphenyl)-5,6-dimethylbenzimidazole 612(1993)33
Katlein, R., see Rissler, K. 612(1993)150
Klerer, C. P., see Moore, D. J. 612(1993)310
Kojima, E., Kai, M. and Ohkura, Y.
Determination of tryptophan in human serum by high-performance liquid chromatography with pre-column fluorescence derivatization using phenylglyoxal 612(1993)187
Kramer Nielsen, K. and Brøsèn, K.
High-performance liquid chromatography of imipramine and six metabolites in human plasma and urine 612(1993)87
Kruger, P. B., De V. Albrecht, C. F. and Van Jaarsveld, P. P.
Use of guanidine hydrochloride and ammonium sulfate in comprehensive in-line sorption enrichment of xenobiotics in biological fluids by high-performance liquid chromatography 612(1993)191
Kucharczyk, N.
Estimation of the lower limit of quantitation, a method detection performance parameter for biomedical assays, from calibration curves 612(1993)71
Lam, T.-H., see Lam, Y. W. F. 612(1993)166
Lam, Y. W. F., Chan, D. C. N., Rodriguez, S. Y., Lintakoon, J. H. and Lam, T.-H.
Sensitive high-performance liquid chromatographic assay for the determination of chlorhexidine in saliva 612(1993)166
Larsen, R., see Altmayer, P. 612(1993)326
Layet, S., see Bihoreau, N. 612(1993)49
Lee, B. L., see Liau, L. S. 612(1993)63
Li, X.-Y., see Zhang, C.-X. 612(1993)287
Liau, L. S., Lee, B. L., New, A. L. and Ong, C. N.
Determination of plasma ascorbic acid by high-performance liquid chromatography with ultraviolet and electrochemical detection 612(1993)63
Ling, D.-K., see Zhang, C.-X. 612(1993)287
Lintakoon, J. H., see Lam, Y. W. F. 612(1993)166
Macek, K.
HPLC methods in drug analysis (by M. K. Ghosh) (Book Review) 612(1993)340
Mariotti, F., see Rondelli, I. 612(1993)95
Massart, D. L., see Vandenbosch, C. 612(1993)77
Masuda, Y., see Katayama, M. 612(1993)33
Matsumoto, I., see Ogawa, H. K. 612(1993)145
Mikšík, I., Hodný, Z. and Deyl, Z.
Chromatographic separation of glycated nucleotides 612(1993)57
Minton, T. A., see Morrow, J. D. 612(1993)179
Miyake, K., see Nishikata, M. 612(1993)239
Miyazaki, K., see Nishikata, M. 612(1993)239
Moore, D. J., Perrino, P. J., Klerer, C. P. and Robertson, P.
High-performance liquid chromatographic assay for two rifamycin-derived hypocholesterolemic agents in liver and biological fluids 612(1993)310
Morrow, J. D. and Minton, T. A.
Improved assay for the quantification of 11-dehydrothromboxane B_2 by gas chromatography–mass spectrometry 612(1993)179
Motohashi, M., see Okuda, T. 612(1993)263
Muralidhara, S., see Chen, X. M. 612(1993)199
Nakai, A., see Nishikata, M. 612(1993)239
New, A. L., see Liau, L. S. 612(1993)63
Nieto, S., see Speisky, H. 612(1993)315
Nishikata, M., Nakai, A., Fushida, H., Miyake, K., Arita, T., Iseki, K., Miyazaki, K. and Nomura, A.
Enantioselective pharmacokinetics of homochlorcyclizine. III. Simultaneous determination of (+)- and (−)-homochlorcyclizine in human urine by high-performance liquid chromatography 612(1993)239
Nomura, A., see Nishikata, M. 612(1993)239
Nuñez-Vergara, L. J., see Speisky, H. 612(1993)315
Nyyssönen, K., Seppänen, K. and Salonen, J. T.
High-performance liquid chromatographic assay of platelet-produced thromboxane B_2 612(1993)27
Oddoze, C., see Rop, P. P. 612(1993)302
Ogawa, H. K., Takeuchi, Y., Uchibori, H., Matsumoto, I. and Seno, N.
Determination of N-acetylneuraminic acid and N-glycolylneuraminic acid in glycoproteins by high-performance liquid chromatography without derivatization 612(1993)145
Ohkura, Y., see Kojima, E. 612(1993)187
Oizumi, J. and Hayakawa, K.
Biocytin synthetase activity in human milk as assessed by high-performance liquid chromatography 612(1993)156
Okuda, T., Aoki, I., Motohashi, M. and Yashiki, T.
Sensitive high-performance liquid chromatographic determination of 2,2′-[(2-aminoethyl)imino]diethanol bis-(butylcarbamate) and its metabolites in human serum following pre-column derivatization with *o*-phthalaldehyde and stabilization of the derivatives 612(1993)263
Oliver, Jr., G. W., see Steinberg, J. J. 612(1993)277
Ong, C. N., see Liau, L. S. 612(1993)63

Pacifici, R., Pichini, S., Altieri, I., Rosa, M., Bacosi, A., Caronna, A. and Zuccaro, P.
Determination of nicotine and two major metabolites in serum by solid-phase extraction and high-performance liquid chromatography, and high-performance liquid chromatography–particle beam mass spectrometry 612(1993)209
Panteix, G., see Guichard, J. 612(1993)269
Paolantonacci, P., see Bihoreau, N. 612(1993)49
Perrett, D., see James, I. 612(1993)41
Perrino, P. J., see Moore, D. J. 612(1993)310
Philippon, F., see Fiset, C. 612(1993)231
Pichini, S., see Pacifici, R. 612(1993)209
Plomp, T. A. and Buijs, M. J. H.
High-performance liquid chromatographic method for the simultaneous determination of pentisomide and its major metabolite N-desisopropylpentisomide in plasma, urine and tissues using solid-phase extraction 612(1993)123
Redenti, E., see Rondelli, I. 612(1993)95
Rissler, K., Katlein, R. and Cramer, H.
Recovery of substance P and related C-terminal fragments on solid-phase extraction cartridges for subsequent high-performance liquid chromatographic separation and radioimmunoassay 612(1993)150
Robertson, P., see Moore, D. J. 612(1993)310
Roche, C., see Guichard, J. 612(1993)269
Rodriguez, S. Y., see Lam, Y. W. F. 612(1993)166
Rondelli, I., Mariotti, F., Acerbi, D., Redenti, E., Amari, G. and Ventura, P.
Selective method for plasma quantitation of the stereoisomers of a new aminotetralin by high-performance liquid chromatography with electrochemical detection 612(1993)95
Rop, P. P., Grimaldi, F., Oddoze, C. and Viala, A.
Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302
Rosa, M., see Pacifici, R. 612(1993)209
Salonen, J. T., see Nyyssönen, K. 612(1993)27
Sandra, P., see Coene, J. 612(1993)21
Scott, P. G., see Tredget, E. E. 612(1993)7
Seno, N., see Ogawa, H. K. 612(1993)145
Seppänen, K., see Nyyssönen, K. 612(1993)27
Sevillano-Cabeza, A., see Campíns-Falcó, P. 612(1993)245
Sidhu, J. S. and Charles, B. G.
Simple microscale high-performance liquid chromatographic method for determination of furosemide in neonatal plasma 612(1993)161
Sjöqvist, F., see Aden Abdi, Y. 612(1993)336
Smyth, J. F., see Cummings, J. 612(1993)105
Speisky, H., Cassels, B. K., Nieto, S., Valenzuela, A. and Nuñez-Vergara, L. J.
Determination of boldine in plasma by high-performance liquid chromatography 612(1993)315
Spencer, G. G., Beach, A. C. and Gupta, R. C.
Improved thin-layer chromatographic separation of ^{32}P-postlabeled DNA adducts 612(1993)295
Srivatsan, V., see Chen, X. M. 612(1993)199
Steinberg, J. J., Oliver, Jr., G. W. and Cajigas, A.
Assay of deoxy-deazapurines in DNA by 3′-phosphorylation and two-dimensional thin-layer chromatography 612(1993)277
Sun, Z.-P., see Zhang, C.-X. 612(1993)287
Sutra, J. F., see Alvinerie, M. 612(1993)115
Takeuchi, Y., see Ogawa, H. K. 612(1993)145
Taniguchi, H., see Katayama, M. 612(1993)33
Taton, G., see Vandenbosch, C. 612(1993)77
Titulaer, H. A. C. and Vink-Blijleven, N.
Assay of artelinic acid in serum by high-performance liquid chromatography 612(1993)331
Tredget, E. E., Forsyth, N., Uji-Friedland, A., Chambers, M., Ghahary, A., Scott, P. G., Hogg, A. M. and Burke, J. F.
Gas chromatography–mass spectrometry determination of $^{18}O_2$ in ^{18}O-labelled 4-hydroxyproline for measurement of collagen synthesis and intracellular degradation 612(1993)7
Turgeon, J., see Fiset, C. 612(1993)231
Uchibori, H., see Ogawa, H. K. 612(1993)145
Uji-Friedland, A., see Tredget, E. E. 612(1993)7
Unni, L. K.
Methodological commentary on the analysis of metrifonate and dichlorvos in biological samples. Reply to Aden Abdi *et al.* 612(1993)338
Valenzuela, A., see Speisky, H. 612(1993)315
Van Belle, S., see Vandenbosch, C. 612(1993)77
Vandenbosch, C., Van Belle, S., De Smet, M., Taton, G., Bruynseels, V., Vandenhoven, G. and Massart, D. L.
Determination of leucovorin and 5-fluorouracil in plasma by high-performance liquid chromatography 612(1993)77
Van den Eeckhout, E., see Coene, J. 612(1993)21
Vandenhoven, G., see Vandenbosch, C. 612(1993)77
Van Jaarsveld, P. P., see Kruger, P. B. 612(1993)191
Van Miert, A. S. J. P. A. M., see Alvinerie, M. 612(1993)115
Van 't Klooster, G. A. E., see Alvinerie, M. 612(1993)115
Ventura, P., see Rondelli, I. 612(1993)95
Viala, A., see Rop, P. P. 612(1993)302
Villén, T., see Aden Abdi, Y. 612(1993)336
Vink-Blijleven, N., see Titulaer, H. A. C. 612(1993)331
Walle, T., see Eller, T. D. 612(1993)320
Walle, U. K., see Eller, T. D. 612(1993)320
Wan, T. S. M., see Chee, G. L. 612(1993)172
Willmott, N., see Cummings, J. 612(1993)105
Yashiki, T., see Okuda, T. 612(1993)263
Zhang, C.-X., Sun, Z.-P., Ling, D.-K., Zheng, J.-S., Guo, J. and Li, X.-Y.
Determination of 3-methylflavone-8-carboxylic acid, the main metabolite of flavoxate, in human urine by capillary electrophoresis with direct injection 612(1993)287
Zheng, J.-S., see Zhang, C.-X. 612(1993)287
Zuccaro, P., see Pacifici, R. 612(1993)209

Compound Index

N-Acetylneuraminic acid
Determination of N-acetylneuraminic acid and N-glycolylneuraminic acid in glycoproteins by high-performance liquid chromatography without derivatization 612(1993)145

Aditoprim
Determination of aditoprim and its oxidative metabolites in plasma and microsomal incubation mixtures by high-performance liquid chromatography 612(1993)115

Alkyl lysophospholipids
Gas chromatographic determination of alkyl lysophospholipids after solid-phase extraction from cell culture media 612(1993)21

2,2′-[2-Aminoethyl)imino]diethanol bis(butylcarbamate)
Sensitive high-performance liquid chromatographic determination of 2,2′-[(2-aminoethyl)imino]diethanol bis(butylcarbamate) and its metabolites in human serum following pre-column derivatization with *o*-phthalaldehyde and stabilization of the derivatives 612(1993)263

Aminotetralins
Selective method for plasma quantitation of the stereoisomers of a new aminotetralin by high-performance liquid chromatography with electrochemical detection 612(1993)95

Antihaemophilia A factor
Application of a new statistical approach to optimize the immunopurification of antihemophilia A factor 612(1993)49

Artelinic acid
Assay of artelinic acid in serum by high-performance liquid chromatography 612(1993)331

Ascorbic acid
Determination of plasma ascorbic acid by high-performance liquid chromatography with ultraviolet and electrochemical detection 612(1993)63

Basic drugs
Reproducible and high-speed separation of basic drugs by capillary zone electrophoresis 612(1993)172

Biocytin synthetase
Biocytin synthetase activity in human milk as assessed by high-performance liquid chromatography 612(1993)156

Boldine
Determination of boldine in plasma by high-performance liquid chromatography 612(1993)315

Catecholamines
Determination of catecholamines in rat heart tissue and plasma samples by liquid chromatography with electrochemical detection, by B.-M. Eriksson and B.-A. Persson, *J. Chromatogr.*, 228 (1982) 143 612(1993)1

CGP 43371
High-performance liquid chromatographic assay for two rifamycin-derived hypocholesterolemic agents in liver and biological fluids 612(1993)310

Chlorhexidine
Sensitive high-performance liquid chromatographic assay for the determination of chlorhexidine in saliva 612(1993)166

Corticosteroids
Determination of corticosteroids in plasma by high-performance liquid chromatography after pre-column derivatization with 2-(4-carboxyphenyl)-5,6-dimethylbenzimidazole 612(1993)33

Cotinine
Determination of nicotine and two major metabolites in serum by solid-phase extraction and high-performance liquid chromatography, and high-performance liquid chromatography–particle beam mass spectrometry 612(1993)209

Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302

Dapoxetine
Determination of dapoxetine, an investigational agent with the potential for treating depression, and its mono- and di-desmethyl metabolites in human plasma using column-switching high-performance liquid chromatography 612(1993)253

11-Dehydrothromboxane B_2
Improved assay for the quantification of 11-dehydrothromboxane B_2 by gas chromatography–mass spectrometry 612(1993)179

Deoxy-deazapurines
Assay of deoxy-deazapurines in DNA by 3′-phosphorylation and two-dimensional thin-layer chromatography 612(1993)277

Deoxypyridinoline
Assay of pyridinium crosslinks in serum using narrow-bore ion-paired reversed-phase high-performance liquid chromatography 612(1993)41

Desipramine
High-performance liquid chromatography of imipramine and six metabolites in human plasma and urine 612(1993)87

N-Desisopropylpentisomide
High-performance liquid chromatographic method for the simultaneous determination of pentisomide and its major metabolite N-desisopropylpentisomide in plasma, urine and tissues using solid-phase extraction 612(1993)123

Desmethyldapoxetine
Determination of dapoxetine, an investigational agent with the potential for treating depression, and its mono- and di-desmethyl metabolites in human plasma using column-switching high-performance liquid chromatography 612(1993)253

2,7-Diaminomitosene
Determination of mitomycin C, 2,7-diaminomitosene, 1,2-*cis*- and 1,2-*trans*-1-hydroxy-2,7-diaminomitosene in tumour tissue by high-performance liquid chromatography 612(1993)105

Dichlorvos
Methodological commentary on the analysis of metrifonate and dichlorvos in biological samples 612(1993)336

Methodological commentary on the analysis of metrifonate and dichlorvos in biological samples. Reply to Aden Abdi *et al.* 612(1993)338

N-Didesmethyladitoprim
Determination of aditoprim and its oxidative metabolites in plasma and microsomal incubation mixtures by high-performance liquid chromatography 612(1993)115

Didesmethylimipramine
High-performance liquid chromatography of imipramine and six metabolites in human plasma and urine 612(1993)87

Diuretics
Improved detection limits for screening of diuretics by coupled liquid chromatography and ultraviolet–visible spectrophotometry 612(1993)245

DNA
Assay of deoxy-deazapurines in DNA by 3′-phosphorylation and two-dimensional thin-layer chromatography 612(1993)277

DNA adducts
Improved thin-layer chromatographic separation of ^{32}P-postlabeled DNA adducts 612(1993)295

Dopamine
Determination of catecholamines in rat heart tissue and plasma samples by liquid chromatography with electrochemical detection, by B.-M. Eriksson and B.-A. Persson, *J. Chromatogr.*, 228 (1982) 143 612(1993)1

Droperidol
Simultaneous high-performance liquid chromatographic assay of droperidol and flunitrazepam in human plasma. Application to haemodilution blood samples collected during clinical anaesthesia 612(1993)269

Drugs, basic
Reproducible and high-speed separation of basic drugs by capillary zone electrophoresis 612(1993)172

Enzymes
Biocytin synthetase activity in human milk as assessed by high-performance liquid chromatography 612(1993)156

Epinephrine
Determination of catecholamines in rat heart tissue and plasma samples by liquid chromatography with electrochemical detection, by B.-M. Eriksson and B.-A. Persson, *J. Chromatogr.*, 228 (1982) 143 612(1993)1

Factor VIII
Application of a new statistical approach to optimize the immunopurification of antihemophilia A factor 612(1993)49

Flavoxate
Determination of 3-methylflavone-8-carboxylic acid, the main metabolite of flavoxate, in human urine by capillary electrophoresis with direct injection 612(1993)287

Flunitrazepam
Simultaneous high-performance liquid chromatographic assay of droperidol and flunitrazepam in human plasma. Application to haemodilution blood samples collected during clinical anaesthesia 612(1993)269

5-Fluorouracil
Determination of leucovorin and 5-fluorouracil in plasma by high-performance liquid chromatography 612(1993)77

Furosemide
Simple microscale high-performance liquid chromatographic method for determination of furosemide in neonatal plasma 612(1993)161

N-Glycolylneuraminic acid
Determination of N-acetylneuraminic acid and N-glycolylneuraminic acid in glycoproteins by high-performance liquid chromatography without derivatization 612(1993)145

Homochlorcyclizine
Enantioselective pharmacokinetics of homochlorcyclizine. III. Simultaneous determination of (+)- and (−)-homochlorcyclizine in human urine by high-performance liquid chromatography 612(1993)239

***trans*-3′-Hydroxycotinine**
Determination of nicotine and two major metabolites in serum by solid-phase extraction and high-performance liquid chromatography, and high-performance liquid chromatography–particle beam mass spectrometry 612(1993)209

Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302

***trans*-3′-Hydroxycotinine glucuronide**
Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302

Hydroxydesipramine
High-performance liquid chromatography of imipramine and six metabolites in human plasma and urine 612(1993)87

1-Hydroxy-2,7-diaminomitosene
Determination of mitomycin C, 2,7-diaminomitosene, 1,2-*cis*- and 1,2-*trans*-1-hydroxy-2,7-diaminomitosene in tumour tissue by high-performance liquid chromatography 612(1993)105

Hydroxyimipramine
High-performance liquid chromatography of imipramine and six metabolites in human plasma and urine 612(1993)87

4-Hydroxyproline
Gas chromatography–mass spectrometry determination of $^{18}O_2$ in ^{18}O-labelled 4-hydroxyproline for measurement of collagen synthesis and intracellular degradation 612(1993)7

4-Hydroxypropranolol
Direct high-performance liquid chromatographic determination in urine of the enantiomers of propranolol and its major basic metabolite 4-hydroxypropranolol 612(1993)215

4′-Hydroxypropranolol
Immunoaffinity isolation of the sulfate conjugate of 4′-hydroxypropranolol from plasma 612(1993)320

Imipramine
High-performance liquid chromatography of imipramine and six metabolites in human plasma and urine 612(1993)87

Leucovorin
Determination of leucovorin and 5-fluorouracil in plasma by high-performance liquid chromatography 612(1993)77

3-Methylflavone-8-carboxylic acid
Determination of 3-methylflavone-8-carboxylic acid, the main metabolite of flavoxate, in human urine by capillary electrophoresis with direct injection 612(1993)287

Metrifonate
Methodological commentary on the analysis of metrifonate and dichlorvos in biological samples 612(1993)336

Methodological commentary on the analysis of metrifonate and dichlorvos in biological samples. Reply to Aden Abdi *et al.* 612(1993)338

Mitomycin C
Determination of mitomycin C, 2,7-diaminomitosene, 1,2-*cis*- and 1,2-*trans*-1-hydroxy-2,7-diaminomitosene in tumour tissue by high-performance liquid chromatography 612(1993)105

N-Monodesmethyladitoprim
Determination of aditoprim and its oxidative metabolites in plasma and microsomal incubation mixtures by high-performance liquid chromatography 612(1993)115

Nicotine
Determination of nicotine and two major metabolites in serum by solid-phase extraction and high-performance liquid chromatography, and high-performance liquid chromatography–particle beam mass spectrometry 612(1993)209

Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302

Nicotine-1′-N-oxide
Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302

Norepinephrine
Determination of catecholamines in rat heart tissue and plasma samples by liquid chromatography with electrochemical detection, by B.-M. Eriksson and B.-A. Persson, *J. Chromatogr.*, 228 (1982) 143 612(1993)1

Nucleotides, glycated
Chromatographic separation of glycated nucleotides 612(1993)57

Pentisomide
High-performance liquid chromatographic method for the simultaneous determination of pentisomide and its major metabolite N-desisopropylpentisomide in plasma, urine and tissues using solid-phase extraction 612(1993)123

Peptides
Recovery of substance P and related C-terminal fragments on solid-phase extraction cartridges for subsequent high-performance liquid chromatographic separation and radioimmunoassay 612(1993)150

Perchloroethylene
Analyses of volatile C_2 haloethanes and haloethenes in tissues: sample preparation and extraction 612(1993)199

Proline
Gas chromatography–mass spectrometry determination of $^{18}O_2$ in ^{18}O-labelled 4-hydroxyproline for measurement of collagen synthesis and intracellular degradation 612(1993)7

Propofol
Rapid and sensitive pre-column extraction high-performance liquid chromatographic assay for propofol in biological fluids 612(1993)326

Propranolol
Direct high-performance liquid chromatographic determination in urine of the enantiomers of propranolol and its major basic metabolite 4-hydroxypropranolol 612(1993)215

Pyridinium
Assay of pyridinium crosslinks in serum using narrow-bore ion-paired reversed-phase high-performance liquid chromatography 612(1993)41

Pyridinoline
Assay of pyridinium crosslinks in serum using narrow-bore ion-paired reversed-phase high-performance liquid chromatography 612(1993)41

3-Pyridylcarbinol
Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302

Rifamycin-derived hypocholesterolaemic agent
High-performance liquid chromatographic assay for two rifamycin-derived hypocholesterolemic agents in liver and biological fluids 612(1993)310

Sotalol
Stereoselective high-performance liquid chromatographic assay for the determination of sotalol enantiomers in biological fluids 612(1993)231

Substance P
Recovery of substance P and related C-terminal fragments on solid-phase extraction cartridges for subsequent high-performance liquid chromatographic separation and radioimmunoassay 612(1993)150

Suramin
Peak distortion effects of suramin due to large system peaks in bioanalysis using ion-pair adsorption chromatography 612(1993)137

1,1,2,2-Tetrachloroethane
Analyses of volatile C_2 haloethanes and haloethenes in tissues: sample preparation and extraction 612(1993)199

Thromboxane B_2
High-performance liquid chromatographic assay of platelet-produced thromboxane B_2 612(1993)27

Tramadol
Achiral and chiral high-performance liquid chromatographic determination of tramadol and its major metabolites in urine after oral administration of racemic tramadol 612(1993)223

1,1,1-Trichloroethane
Analyses of volatile C_2 haloethanes and haloethenes in tissues: sample preparation and extraction 612(1993)199

1,1,2-Trichloroethylene
Analyses of volatile C_2 haloethanes and haloethenes in tissues: sample preparation and extraction 612(1993)199

Tryptophan
Determination of tryptophan in human serum by high-performance liquid chromatography with pre-column fluorescence derivatization using phenylglyoxal 612(1993)187

Xenobiotics
Use of guanidine hydrochloride and ammonium sulfate in comprehensive in-line sorption enrichment of xenobiotics in biological fluids by high-performance liquid chromatography 612(1993)191